

TILT INDICATORS

Monitoring your valuable goods



LOGIMON
LOGISTICS MONITORING SOLUTIONS



European master-distributor on behalf of:
SHOCKINDICATOR ENTERPRISE CO.,LTD

TILT INDICATOR



SPECIFICATION

Product name	Tiltindicator
Dimension	74 x 60 x 5 mm
Operating temperature	-40°C ~ +60°C (-40°F ~ +140°F)
Sensitivity	80° ± 5°
Components :	Stainless Steel 304, ABS, Polycarbonate, Semigloss Gloss Paper, Tissue Double Side Tape
Shelf life	2 years
Packing	100pcs/box,1000pcs/carton

DESCRIPTION


Tilt indicator, detecting a tilt angle of >80°, is applied to the packaging and provides evidence a shipment has been tilted.

Reminds carriers to handle with care as they know and see the package is being monitored.

FEATURES

- △ Provides indisputable evidence of tilting in excess of 80°.
- △ Reduce product damage and loss incurred during transportation.
- △ Protect fragile, sensitive or calibrated goods while in-transit.
- △ Alert carriers that careful handling is mandatory – visual deterrent.
- △ Enhance company image with customer, buy with confidence.

ACCESSORY



Companion label (optional)

Length x Width: approx. 21x15cm (A5)

1. Alerting forwarder/courier indicator is in place.
 2. Instructions how to handle in case of an activated (turned red) tilt indicator.
 3. Multi lingual (EN-FR-DE-ES).
- Also available in an English version.



Small Alert sticker (included)

Length x Width: approx. 75 x 25 mm

Stick Alert Sticker on the Bill of Lading, to alert the receiver the shipment has a Tilt Indicator.

INSTRUCTIONS

1. Confirm if 80° is the right angle to monitor. (Otherwise, you may prefer our Tilt Indicator '3in1'.)
2. Apply the (companion label and) Tilt Indicator in line with the mounting instructions that come with each box of indicators.
3. Place the alert sticker on the bill of lading.




Contact us:

 +31 (0)85 - 0066 082

 info@logimon.solutions

 www.TiltIndicator.eu
www.LogiMon.solutions

 Hameinde 1
7371CS Loenen Gld.
The Netherlands

Follow us on  via



also check our Shock Indicators

